

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

BMCC Tribeca Performing Arts Center  
 Theatre 2 Rep  
 199 Chambers St, New York, NY 10007

Lighting Designer: Jessica Choi  
 V1: 01/16/2024

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(1)</b>	1	3 CAT	8	ETC Source4 26deg 575w	R119	
<b>(2)</b>	4	3 CAT	10	ETC Source4 26deg 575w	R119	
<b>(3)</b>	7	3 CAT	14	ETC Source4 26deg 575w	R119	
<b>(4)</b>	10	3 CAT	17	ETC Source4 26deg 575w	R119	
<b>(5)</b>	12	3 CAT	20	ETC Source4 26deg 575w	R119	
<b>(6)</b>	2	2 CAT	30	ETC Source4 26deg 575w	R119	
<b>(7)</b>	8	2 CAT	33	ETC Source4 26deg 575w	R119	
<b>(8)</b>	12	2 CAT	37	ETC Source4 26deg 575w	R119	
<b>(9)</b>	18	2 CAT	40	ETC Source4 26deg 575w	R119	
<b>(10)</b>	22	2 CAT	44	ETC Source4 26deg 575w	R119	
<b>(11)</b>	8	1 CAT	66	ETC Source4 36deg 575w	R119	
<b>(12)</b>	14	1 CAT	71	ETC Source4 36deg 575w	R119	
<b>(13)</b>	19	1 CAT	74	ETC Source4 36deg 575w	R119	
<b>(21)</b>	1	1A CAT	48	ETC Source4 36deg 575w	R09+R119	
<b>(22)</b>	5	1A CAT	1	ETC Source4 36deg 575w	R09+R119	
<b>(23)</b>	9	1A CAT	6	ETC Source4 36deg 575w	R09+R119	
<b>(24)</b>	1	1 CAT	60	ETC Source4 36deg 575w	R09+R119	
<b>(25)</b>	5	1 CAT	63	ETC Source4 36deg 575w	R09+R119	
<b>(26)</b>	11	1 CAT	67	ETC Source4 36deg 575w	R09+R119	
<b>(27)</b>	1	1 ELEC	83	ETC Source4 50deg 575w	R09+R119	
<b>(28)</b>	3	1 ELEC	86	ETC Source4 36deg 575w	R09+R119	
<b>(29)</b>	5	1 ELEC	92	ETC Source4 36deg 575w	R09+R119	
<b>(31)</b>	2	1A CAT	47	ETC Source4 36deg 575w	L161+R119	
<b>(32)</b>	6	1A CAT	2	ETC Source4 36deg 575w	L161+R119	

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(33)</b>	10	1A CAT	5	ETC Source4 36deg 575w	L161+R119	
<b>(34)</b>	2	1 CAT	61	ETC Source4 36deg 575w	L161+R119	
<b>(35)</b>	6	1 CAT	64	ETC Source4 36deg 575w	L161+R119	
<b>(36)</b>	12	1 CAT	68	ETC Source4 36deg 575w	L161+R119	
<b>(37)</b>	2	1 ELEC	84	ETC Source4 50deg 575w	L161+R119	
<b>(38)</b>	4	1 ELEC	88	ETC Source4 36deg 575w	L161+R119	
<b>(39)</b>	6	1 ELEC	94	ETC Source4 36deg 575w	L161+R119	
<b>(41)</b>	14	1A CAT	24	ETC Source4 36deg 575w	R09+R119	
<b>(42)</b>	18	1A CAT	46	ETC Source4 36deg 575w	R09+R119	
<b>(43)</b>	22	1A CAT	56	ETC Source4 36deg 575w	R09+R119	
<b>(44)</b>	18	1 CAT	73	ETC Source4 36deg 575w	R09+R119	
<b>(45)</b>	24	1 CAT	77	ETC Source4 36deg 575w	R09+R119	
<b>(46)</b>	28	1 CAT	80	ETC Source4 36deg 575w	R09+R119	
<b>(47)</b>	8	1 ELEC	100	ETC Source4 36deg 575w	R09+R119	
<b>(48)</b>	10	1 ELEC	106	ETC Source4 36deg 575w	R09+R119	
<b>(49)</b>	12	1 ELEC	112	ETC Source4 50deg 575w	R09+R119	
<b>(51)</b>	13	1A CAT	26	ETC Source4 36deg 575w	L161+R119	
<b>(52)</b>	17	1A CAT	23	ETC Source4 36deg 575w	L161+R119	
<b>(53)</b>	21	1A CAT	57	ETC Source4 36deg 575w	L161+R119	
<b>(54)</b>	17	1 CAT	72	ETC Source4 36deg 575w	L161+R119	
<b>(55)</b>	23	1 CAT	76	ETC Source4 36deg 575w	L161+R119	
<b>(56)</b>	27	1 CAT	79	ETC Source4 36deg 575w	L161+R119	
<b>(57)</b>	7	1 ELEC	99	ETC Source4 36deg 575w	L161+R119	
<b>(58)</b>	9	1 ELEC	105	ETC Source4 36deg 575w	L161+R119	
<b>(59)</b>	11	1 ELEC	111	ETC Source4 50deg 575w	L161+R119	
<b>(61)</b>	3	1A CAT	25	ETC Source4 50deg 575w	NC	

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(62)</b>	7	1A CAT	3	ETC Source4 50deg 575w	NC	
<b>(63)</b>	11	1A CAT	4	ETC Source4 50deg 575w	NC	
<b>(64)</b>	16	1A CAT	22	ETC Source4 50deg 575w	NC	
<b>(65)</b>	20	1A CAT	27	ETC Source4 50deg 575w	NC	
<b>(66)</b>	3	1 CAT	62	ETC Source4 50deg 575w	NC	
<b>(67)</b>	7	1 CAT	65	ETC Source4 50deg 575w	NC	
<b>(68)</b>	13	1 CAT	70	ETC Source4 50deg 575w	NC	
<b>(69)</b>	22	1 CAT	75	ETC Source4 50deg 575w	NC	
<b>(70)</b>	26	1 CAT	78	ETC Source4 50deg 575w	NC	
<b>(71)</b>	1	2 ELEC	117	ETC Source4 50deg 575w	NC	
<b>(72)</b>	5	2 ELEC	121	ETC Source4 50deg 575w	NC	
<b>(73)</b>	11	2 ELEC	127	ETC Source4 50deg 575w	NC	
<b>(81)</b>	4	1A CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(82)</b>	8	1A CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(83)</b>	12	1A CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(84)</b>	15	1A CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(85)</b>	19	1A CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(86)</b>	4	1 CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(87)</b>	9	1 CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(88)</b>	15	1 CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(89)</b>	20	1 CAT	49	ETC ColorSource PAR Wide Round 90w	LED	

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(90)</b>	25	1 CAT	49	ETC ColorSource PAR Wide Round 90w	LED	
<b>(91)</b>	2	2 ELEC	116	ETC ColorSource PAR Wide Round 90w	LED	
<b>(92)</b>	7	2 ELEC	116	ETC ColorSource PAR Wide Round 90w	LED	
<b>(93)</b>	10	2 ELEC	116	ETC ColorSource PAR Wide Round 90w	LED	
<b>(94)</b>	1	DECK SL	145	ETC ColorSource PAR Round 90w	LED	
<b>(95)</b>	2	DECK SL	145	ETC ColorSource PAR Round 90w	LED	
<b>(96)</b>	1	DECK SR	169	ETC ColorSource PAR Round 90w	LED	
<b>(97)</b>	2	DECK SR	169	ETC ColorSource PAR Round 90w	LED	
<b>(101)</b>	4	2 CAT	2	ETC Source4 LEDLS 36deg 117w		
<b>(102)</b>	10	2 CAT	2	ETC Source4 LEDLS 36deg 117w		
<b>(103)</b>	15	2 CAT	2	ETC Source4 LEDLS 36deg 117w		
<b>(104)</b>	16	2 CAT	2	ETC Source4 LEDLS 36deg 117w		
<b>(105)</b>	21	2 CAT	2	ETC Source4 LEDLS 36deg 117w		
<b>(111)</b>	2	3 ELEC	136	ETC Selador Vivid-R 42 500w	LED	
<b>(112)</b>	3	3 ELEC	138	ETC Selador Vivid-R 63 750w	LED	
<b>(113)</b>	4	3 ELEC	141	ETC Selador Vivid-R 42 500w	LED	
<b>(114)</b>	5	3 ELEC	141	ETC Selador Vivid-R 63 750w	LED	
<b>(115)</b>	6	3 ELEC	143	ETC Selador Vivid-R 42 500w	LED	
<b>(116)</b>	1	DECK		ETC Selador Vivid-R 63 750w	LED	

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(117)</b>	2	DECK		ETC Selador Vivid-R 63 750w	LED	
<b>(118)</b>	3	DECK		ETC Selador Vivid-R 63 750w	LED	
<b>(119)</b>	4	DECK		ETC Selador Vivid-R 63 750w	LED	
<b>(121)</b>	7	2 CAT	32	ETC Source4 19deg+I-Que*+ Iris 575w	R132	
<b>(122)</b>	20	2 CAT	41	ETC Source4 19deg+I-Que*+ Iris 575w	R132	
<b>(123)</b>	1	UNDER CAT 2	50	MARTIN RUSH MH1 Profile 320w	NC	
<b>(124)</b>	2	UNDER CAT 2	50	MARTIN RUSH MH1 Profile 320w	NC	
<b>(125)</b>	1	UNDER CAT 1	49	MARTIN RUSH MH1 Profile 320w	NC	
<b>(126)</b>	2	UNDER CAT 1	49	MARTIN RUSH MH1 Profile 320w	NC	
<b>(131)</b>	3	3 CAT	11	ETC Source4 19deg 575w	R132	
<b>(132)</b>	6	3 CAT	13	ETC Source4 19deg 575w	R132	
<b>(133)</b>	9	3 CAT	16	ETC Source4 19deg 575w	R132	
<b>(134)</b>	6	2 CAT	34	ETC Source4 26deg 575w	R132	
<b>(135)</b>	11	2 CAT	36	ETC Source4 26deg 575w	R132	
<b>(136)</b>	17	2 CAT	39	ETC Source4 26deg 575w	R132	
<b>(137)</b>	2	B PIPE	52	ETC Source4 10deg 575w	R34 + L161	
<b>(138)</b>	2	C PIPE	53	ETC Source4 10deg 575w	R34 + L161	
<b>(139)</b>	1	2 CAT	29	ETC Source4 36deg 575w	R68+R119	
	1	B PIPE	51	ETC Source4 36deg 575w	R68+R119	
<b>(140)</b>	25	2 CAT	45	ETC Source4 36deg 575w	R68+R119	
	1	C PIPE	54	ETC Source4 36deg 575w	R68+R119	
<b>(141)</b>	2	3 CAT	9	ETC Source4 26deg 575w	L201+R119	
<b>(142)</b>	5	3 CAT	12	ETC Source4 26deg 575w	L201+R119	

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(143)</b>	8	3 CAT	15	ETC Source4 26deg 575w	L201+R119	
<b>(144)</b>	11	3 CAT	18	ETC Source4 26deg 575w	L201+R119	
<b>(145)</b>	13	3 CAT	21	ETC Source4 26deg 575w	L201+R119	
<b>(146)</b>	3	2 CAT	31	ETC Source4 26deg 575w	L201+R119	
<b>(147)</b>	9	2 CAT	34	ETC Source4 26deg 575w	L201+R119	
<b>(148)</b>	14	2 CAT	42	ETC Source4 26deg 575w	L201+R119	
<b>(149)</b>	19	2 CAT	42	ETC Source4 26deg 575w	L201+R119	
<b>(150)</b>	24	2 CAT	43	ETC Source4 26deg 575w	L201+R119	
<b>(151)</b>	10	1 CAT	69	ETC Source4 36deg 575w	L201+R119	
<b>(152)</b>	16	1 CAT	74	ETC Source4 36deg 575w	L201+R119	
<b>(153)</b>	21	1 CAT	82	ETC Source4 36deg 575w	L201+R119	
<b>(200)</b>	1	BOOTH	7	Source 4 19deg 575w	R132	
<b>(201)</b>	1	A PIPE	28	Studio Force II V12 150w	LED	
	1	D PIPE	28	Studio Force II V12 150w	LED	
	1	2A CAT	28	Studio Force II V12 150w	LED	
	2	2A CAT	28	Studio Force II V12 150w	LED	
	3	2A CAT	28	Studio Force II V12 150w	LED	
	4	2A CAT	28	Studio Force II V12 150w	LED	
	5	2A CAT	28	Studio Force II V12 150w	LED	
<b>(202)</b>	5	2 CAT	28	Studio Force II V12 150w	LED	
	13	2 CAT	28	Studio Force II V12 150w	LED	
	23	2 CAT	28	Studio Force II V12 150w	LED	
<b>(203)</b>	1	3 ELEC	136	Studio Force II V12 150w	LED	
	7	3 ELEC	143	Studio Force II V12 150w	LED	

# Channel Hookup

1/16/2024

BMCC TPAC T2 LW Worksheet.lw6

Channel	U#	Position	Dim	Inst Type & Access & Load	Color	Gobo
<b>(210)</b>	1	HOUSE	289	Pendant Lamp CFL 60w	NC	
	2	HOUSE	290	Pendant Lamp CFL 60w	NC	
	3	HOUSE	291	Pendant Lamp CFL 60w	NC	
	4	HOUSE	292	Pendant Lamp CFL 60w	NC	
	5	HOUSE	293	Pendant Lamp CFL 60w	NC	
	6	HOUSE	294	Pendant Lamp CFL 60w	NC	
	7	HOUSE	295	Pendant Lamp CFL 60w	NC	
	8	HOUSE	296	Pendant Lamp CFL 60w	NC	
	9	HOUSE	297	Pendant Lamp CFL 60w	NC	
	10	HOUSE	298	Pendant Lamp CFL 60w	NC	